



State of Louisiana

Louisiana Department of Health Bureau of Health Services Financing

PRIOR AUTHORIZATION REQUEST COVERSHEET

Please check the member's appropriate health plan listed below: Aetna Better Health of Louisiana Phone: 1-855-242-0802 Fax: 1-844-699-2889 www.aetnabetterhealth.com/louisiana/providers/pharmacy AmeriHealth Caritas Louisiana Phone: 1-800-684-5502 Fax: 1-855-452-9131 www.amerihealthcaritasla.com/pharmacy/index.aspx Fee-for-Service (FFS) Louisiana Legacy Medicaid Phone: 1-866-730-4357 Fax: 1-866-797-2329 www.lamedicaid.com **Healthy Blue** Phone: 1-844-521-6942 Fax: 1-844-864-7865 https://providers.healthybluela.com/la/pages/home.aspx LA Healthcare Connections Phone: 1-888-929-3790 Fax: 1-866-399-0929 www.louisianahealthconnect.com/for-members/pharmacy-services/ **United Healthcare** Phone: 1-800-310-6826 Fax: 1-866-940-7328 https://www.uhcprovider.com/en/health-plans-by-state/louisiana-healthplans/la-comm-plan-home/la-cp-pharmacy.html

PRIVACY AND CONFIDENTIALITY WARNING

Electronic Prior Authorization: https://provider.linkhealth.com/#/

This facsimile transmission may contain Protected Health Information, Individual Identifiable Health Information and other information which is protected by law. The information is intended only for the use of the intended recipient. If you are not the intended recipient, you are hereby notified that any review, disclosure/re-disclosure, copying, storing, distributing or the taking of action in reliance on the content of this facsimile transmission and any attachments thereto, is strictly prohibited. If you have received this facsimile transmission in error, please notify the sender immediately via telephone and destroy the contents of this facsimile transmission and its attachments.

PLEASE CALL IF YOU HAVE ANY PROBLEMS RECEIVING THIS FAX OR IF PAGES ARE MISSING.

LOUISIANA UNIFORM PRESCRIPTION DRUG PRIOR AUTHORIZATION FORM

SECTION I — SUBMISSION		-		198					
Submitted to:			Phone:		Fax	•			Date:
SECTION II — PRESCRIBER INFORMATION	N				***************************************	*************************			
Last Name, First Name MI:		NPI# or	Plan Provi	der #:	Sp	ecialty:			
Address:		City:					Sta	ite:	ZIP Code:
Phone: Fax:		Office Co	ontact Nan	me:		Contact	Phone:	***************************************	
SECTION III — PATIENT INFORMATION	#C440401401400401400401404401					***************************************		***************************************	
Last Name, First Name MI:	D	OOB:		Phone:			Male Othe		Female Unknown
Address:		City:			1		Sta	te:	ZIP Code:
Plan Name (if different from Section I):	Membe	r or Medi	caid ID #:	Plan Provider	ID:	m 24 c c c c c c c c c c c c c c c c c c			
Patient is currently a hospital inpatient get Patient is being discharged from a psychia Patient is being discharged from a resider Patient is a long-term care resident? EPSDT Support Coordinator contact inform	atric facility ntial substa Yes	/? ince use fa No	acility? If yes, nan	Yes I Yes I	No No	Date of Date of	Discharge Discharge	e: e:_	
SECTION IV — PRESCRIPTION DRUG INF	ORMATIO	N						***************************************	
To the best of your knowledge this medicar For Provider Administered Drugs only:	tion is:	New th	herapy/Ini uation of t	herapy/Reauth	orizat	ion requ	est	ration	/Start Date:
HCPCS/CPT-4 Code:	_NDC#:			_Dose Per Admi	inistra	ition:		0	
Other Codes: Will patient receive the drug in the physi — If no, list name an SECTION V — PATIENT CLINICAL INFOR	d NPI of se		esNo						
Primary diagnosis relevant to this request:					ICC)-10 Diagn	osis Code	e: D	ate Diagnosed:
Secondary diagnosis relevant to this reque	st:				ICD)-10 Diagn	osis Code	e: D	ate Diagnosed:
For pain-related diagnoses, pain is: For postoperative pain-related diagnoses:		Surgery_	Chronic						
Pertinent laboratory values and dates (att	ach or list l	pelow):							
Date		Name	of Test					Valu	e
			-						
					14			i i	Next I what
		- 20							

-			ME exceed the daily i	max MME	allowed?	_YesNo (If yes, provide justi	fication below.)							
DS	YES (True)	NO (False)			THE PRESCRIBER	RATTESTS TO THE FOLLOWING:								
<u> </u>						was performed for this patient.								
NG C			B. The patient has be long-term care far	een screen	ed for substance	abuse / opioid dependence. (Not	required for recipients in							
ACTI					ch time a contro	lled prescription is written for this p	patient							
LONG-				which inclu		previous goals of therapy for both								
SHORT AND LONG-ACTING OPIOIDS			explained to the p	oatient.		topping or continuing the opioid ha								
호						ave been discussed with this patier								
2			recipients in long-	term care f	acility.)	oth the patient and prescriber is or								
3			have been inadeq	res continue Juate or hav	ous around the c re not been toler	lock analgesic therapy for which alated.	ternative treatment option							
2			I. Patient previously utilized at least two weeks of short-acting opioids for this condition. Please enter drug(s).											
0 9			da.a. d	d de la Cari			dose, duration and date of trial in pharmacologic/non-pharmacologic treatment section below. J. Medication has not been prescribed to treat acute pain, mild pain, or pain that is not expected to persist for							
€			dose, duration and	d date of tr	ial in pharmacolo	gic/non-pharmacologic treatment	section below.							
- AC			J. Medication has no an extended period	d date of tri ot been pre od of time.	ial in pharmacolo scribed to treat a	gic/non-pharmacologic treatment acute pain, mild pain, or pain that is	section below. not expected to persist for							
**********			dose, duration and J. Medication has no an extended perio K. Medication has no L. Prescribing inform VE (A-L), PLEASE EXPLA	d date of tri ot been pre- od of time. ot been pre- nation for re	ial in pharmacolo scribed to treat a scribed for use a equested produc	ngic/non-pharmacologic treatment acute pain, mild pain, or pain that is as an as-needed (PRN) analgesic. It has been thoroughly reviewed by	not expected to persist fo							
NO	ION VII		dose, duration and dose, duration and an extended period K. Medication has not L. Prescribing inform VE (A-L), PLEASE EXPLA cologic & non-pha	d date of tri ot been pre- od of time. ot been pre- nation for re	ial in pharmacolo scribed to treat a scribed for use a equested produc	ngic/non-pharmacologic treatment neute pain, mild pain, or pain that is s an as-needed (PRN) analgesic.	not expected to persist fo							
NO	ION VII	- Pharma	dose, duration and dose, duration and an extended period K. Medication has not L. Prescribing inform VE (A-L), PLEASE EXPLA cologic & non-pha	d date of tri to been pre- od of time. ot been pre- nation for re- IIN:	ial in pharmacolo scribed to treat a scribed for use a equested produc	egic/non-pharmacologic treatment acute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a used for this diagnosis (both Dates Started and Stopped	prescriber. oth previous & curren Describe Response,							
NO	ION VII	- Pharma	dose, duration and dose, duration and an extended period K. Medication has not L. Prescribing inform VE (A-L), PLEASE EXPLA cologic & non-pha	d date of tri to been pre- od of time. ot been pre- nation for re- IIN:	ial in pharmacolo scribed to treat a scribed for use a equested produc	egic/non-pharmacologic treatment acute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a used for this diagnosis (both Dates Started and Stopped	prescriber. oth previous & curren Describe Response,							
NO	TON VII	- Pharma	dose, duration and dose, duration and an extended period K. Medication has not L. Prescribing inform VE (A-L), PLEASE EXPLA cologic & non-pha	d date of tri to been pre- od of time. ot been pre- nation for re- IIN:	ial in pharmacolo scribed to treat a scribed for use a equested produc	egic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a used for this diagnosis (both Dates Started and Stopped or Approximate Duration	prescriber. oth previous & curren Describe Response, Reason							
CT	TION VII	- Pharma Drug nam	dose, duration and an extended period K. Medication has not an extended period K. Medication has not a Prescribing inform VE (A-L), PLEASE EXPLA cologic & non-pha	d date of tri to been pre- od of time. to been pre- nation for re- IIII: Trmacolog Strength	ial in pharmacoloscribed to treat a scribed for use a scribed for use a sequested production. Frequency	gic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a solution by a solution by the solu	prescriber. oth previous & current Describe Response, Reason							
CT ug /	TION VII Allergies:	- Pharma Drug nam	dose, duration and an extended period K. Medication has not an extended period K. Medication has not an extended period K. Medication has not a prescribing inform VE (A-L), PLEASE EXPLACTION Cologic & non-phage State of the patient history that	d date of tri to been pre- od of time. to been pre- nation for re- alian: armacolog Strength	ial in pharmacoloscribed to treat a scribed for use a equested production for the treatment (see a first treatment). Frequency the use of the	egic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a used for this diagnosis (both Dates Started and Stopped or Approximate Duration	prescriber. oth previous & curren Describe Response, Reason Veight (if applicable):							
CT ug/	Allergies: re clinical e	- Pharma Drug nam evidence of	dose, duration and an extended period K. Medication has not an extended period K. Medication has not an extended period K. Medication has not a prescribing inform VE (A-L), PLEASE EXPLACTION Cologic & non-phage State of the patient history that	d date of tri to been pre- od of time. ot been pre- nation for re- IIN: Strength t suggests t to the par-	ial in pharmacoloscribed to treat a scribed for use a scribed for use a scribed produce fic treatment(Frequency the use of the tient?Yes	gic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a bound or this diagnosis (both Dates Started and Stopped or Approximate Duration Height (if applicable): Volan's pre-requisite medication(prescriber. oth previous & current Describe Response, Reason Veight (if applicable):							
Lig/	Allergies: re clinical e	- Pharma Drug nam evidence of	dose, duration and an extended period K. Medication has not an extended period K. Medication has not a prescribing inform VE (A-L), PLEASE EXPLACOLOGIC & non-phate an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse reaction and an adverse reaction and an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse re	d date of tri to been pre- od of time. ot been pre- nation for re- IIN: Strength t suggests t to the par-	ial in pharmacoloscribed to treat a scribed for use a scribed for use a scribed produce fic treatment(Frequency the use of the tient?Yes	gic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a bound or this diagnosis (both Dates Started and Stopped or Approximate Duration Height (if applicable): Volan's pre-requisite medication(prescriber. oth previous & curren Describe Response, Reason Veight (if applicable):							
Lig/	Allergies: re clinical e	- Pharma Drug nam evidence of	dose, duration and an extended period K. Medication has not an extended period K. Medication has not a prescribing inform VE (A-L), PLEASE EXPLACOLOGIC & non-phate an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse reaction and an adverse reaction and an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse re	d date of tri to been pre- od of time. ot been pre- nation for re- IIN: Strength t suggests t to the par-	ial in pharmacoloscribed to treat a scribed for use a scribed for use a scribed produce fic treatment(Frequency the use of the tient?Yes	gic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a bound or this diagnosis (both Dates Started and Stopped or Approximate Duration Height (if applicable): Volan's pre-requisite medication(prescriber. oth previous & curren Describe Response, Reason Veight (if applicable):							
NO CT	Allergies: re clinical e	- Pharma Drug nam evidence of	dose, duration and an extended period K. Medication has not an extended period K. Medication has not a prescribing inform VE (A-L), PLEASE EXPLACOLOGIC & non-phate an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse reaction and an adverse reaction and an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse re	d date of tri to been pre- od of time. ot been pre- nation for re- IIN: Strength t suggests t to the par-	ial in pharmacoloscribed to treat a scribed for use a scribed for use a scribed produce fic treatment(Frequency the use of the tient?Yes	gic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a bound or this diagnosis (both Dates Started and Stopped or Approximate Duration Height (if applicable): Volan's pre-requisite medication(prescriber. oth previous & curren Describe Response, Reason Veight (if applicable):							
NO CT	Allergies: re clinical e	- Pharma Drug nam evidence of	dose, duration and an extended period K. Medication has not an extended period K. Medication has not a prescribing inform VE (A-L), PLEASE EXPLACOLOGIC & non-phate an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse reaction and an adverse reaction and an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse re	d date of tri to been pre- od of time. ot been pre- nation for re- IIN: Strength t suggests t to the par-	ial in pharmacoloscribed to treat a scribed for use a scribed for use a scribed produce fic treatment(Frequency the use of the tient?Yes	gic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a bound or this diagnosis (both Dates Started and Stopped or Approximate Duration Height (if applicable): Volan's pre-requisite medication(prescriber. oth previous & curren Describe Response, Reason Veight (if applicable):							
NO CT	Allergies: re clinical e	- Pharma Drug nam evidence of	dose, duration and an extended period K. Medication has not an extended period K. Medication has not a prescribing inform VE (A-L), PLEASE EXPLACOLOGIC & non-phate an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse reaction and an adverse reaction and an adverse reaction and adverse reaction and adverse reaction and an adverse reaction and adverse re	d date of tri to been pre- od of time. ot been pre- nation for re- IIN: Strength t suggests t to the par-	ial in pharmacoloscribed to treat a scribed for use a scribed for use a scribed produce fic treatment(Frequency the use of the tient?Yes	gic/non-pharmacologic treatment is cute pain, mild pain, or pain that is an as-needed (PRN) analgesic. It has been thoroughly reviewed by a bound or this diagnosis (both Dates Started and Stopped or Approximate Duration Height (if applicable): Volan's pre-requisite medication(prescriber. oth previous & curren Describe Response, Reason Veight (if applicable):							